




NMT MAX II 80/120 F360 PN10

979528214

NMT MAX II / Electronically regulated circulating pump

GENERAL

Kód	979528214		
Product name	NMT MAX II 80/120 F360 PN10		
Seal type	EEI		0.2
Hmotnost	30.00 kg		
H max	12.5 m	H min	0.0 m
Q max	69.6 m³/h	Q min	0.0 m³/h
	%		
Hluk [dB(A)]	≤43 dB(A)		



ELECTRICAL DATA

Zdroj napájení	1~230 V
Frekvence	50/60 Hz
Příkon	1400 W
Ot./min	3600 rpm
Třída izolace	H (180 °C)
El. proud	6.0 A
Krytí	IP44
Thermal protection	NTC
Frame size	
Motor i e class	

INSTALLATION

Médium	
Teplota média	-10.0 ÷ 110.0 °C
Teplota okolí	40 °C
Stavební délka	360 mm
DN1	80
Přípojka	PN10
Připojení	PN10
Max. tlak	1.0 MPa

MATERIAL

Materiál ložiska	Uhlík
Materiál oběžného kola	PES GF 30
Materiál hydrauliky	Šedá litina
Materiál hřídele	AISI 420

NMT MAX II 80/120 F360 PN10

979528214

NMT MAX II / Electronically regulated circulating pump






NMT MAX II 80/120 F360 PN10

979528214

NMT MAX II / Electronically regulated circulating pump

Rozměry






NMT MAX II 80/120 F360 PN10

979528214

NMT MAX II / Electronically regulated circulating pump

Schéma zapojení

NMT Max II





NMT MAX II 80/120 F360 PN10

979528214

NMT MAX II / Electronically regulated circulating pump